THIS IS NOT AN ORDER - THIS IS A REQUEST FOR FAX BIDS ONLY P.R. NO: 200983 Date of Request ***** FAX QUOTE ***** **DELIVERY POINT:** Or Date Publishing: 04/25/06 DEPT. OF TRANSPORTATION AND DEVELOPMENT **RETURN BY FAX TO:** Date Bid Due: 05/01/06 TRAFFIC OPERATIONS WAREHOUSE #4501 225-379-1862 or 225-379-1481 STEPHEN W. GLASCOCK, ITS ADMINISTRATOR 7686 TOM DR. **ATTN: JEANNIE PREJEAN** Time Bid Due: 2:00 P.M. **BATON ROUGE, LA 70806** PHONE: (225)379-1424 228/935-0140 Time of Opening: 2:00 P.M. STOCK UNIT TOTAL BRAND NAME DESCRIPTION QUANTITY U.M. NUMBER **PRICE AMOUNT** AND NUMBER 01-17-6528 CONE, TRAFFIC, 28 IN., TYPE II, DOTD SPEC. 190-002, REV. 1900 FΔ 9/23/97, WORK AREA 28PVCS, LIKESIDE PLASTIC 2850-7-CC, OAE. ______ DUE TO FISCAL YEAR CONSTRAINTS, FUNDING MAY BE UNAVAILABLE FOR PAYMENT FOR ITEMS NOT DELIVERED BY JUNE 30, 2006. IF DELIVERY CANNOT BE MADE IN ACCORDANCE WITH THE ORDER, VENDOR MUST NOTIFY THE PROCUREMENT SECTION OF THE INABILITY TO SUPPLY. _____ THE DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT RESERVES THE RIGHT TO REJECT BIDS THAT CANNOT MAKE DELIVERY BY JUNE 30, 2006. IN ACCORDANCE WITH LOUISIANA R.S. 39:1595, A PREFERENCE OF 10% MAY BE ALLOWED FOR PRODUCTS MANUFACTURED, PRODUCED, GROWN, ASSEMBLED OR HARVESTED IN LOUISIANA OF EQUAL QUALITY. DO YOU CLAIM THIS 10% PREFERENCE: YES:_____NO:_ SPECIFY LOCATION IN LOUISIANA:_ __NOTE:LOUISIANA VENDORS SPECIFY ITEM NUMBER:___ CLAIMING THIS PREFERENCE SHOULD ALSO CERTIFY THAT 50% OF THEIR WORKFORCE IS COMPRISED OF LOUISIANA RESIDENTS IN ORDER TO BE ENTITLED TO THE 10% PRE-FERENCE. LOUISIANA VENDORS SHOULD COMPLETE THE FOLLOWING CERTIFICATE: THIS IS TO CERTIFY THAT 50% OF WORKFORCE IS COMPRISED OF LOUISIANA RESIDENTS: ___(PROOF OF CERTIFICATION MAY YES: _NO:_ BE REOUIRED) _____ TERMS: DELIVERY: -----LOW BIDDER MAY BE REQUIRED TO SUBMIT A SAMPLE FOR ALTERNATE BRANDS AT VENDOR'S EXPENSE. IF REQUESTED, SAMPLE MUST BE RECEIVED WITHIN TEN (10) DAYS FROM DATE OF REQUEST. PACKAGE SHOULD BE CLEARLY LABELED WITH COMPANY NAME, BRAND NAME AND NUMBER, AND DOTD'S PURCHASE REQUISITION NUMBER SEE ATTACHMENT FOR SPECIAL, CONDITIONS, INSTRUCTIONS AND DEFINITIONS. If you need additional information, please FAILURE TO COMPLY WITH SAME MAY DISQUALIFY YOUR BID OR QUOTATION call: **JEANNIE PREJEAN** (225)379-1424 FIRM: MAILING ADDRESS: BY: (signature) State: Zip: (PRINT OR TYPE NAME) REMITTANCE TO BE MADE TO ADDRESS OTHER THAN ABOVE: BY: PHONE #: Street/Box __ City_____ State___ Zip ___ FED. ID. NUMBER: Vendor FAX Number: **Email Address:**

THIS IS NOT AN ORDER - THIS IS A REQUEST FOR FAX BIDS ONLY P.R. NO: 200983 Date of Request ****** FAX QUOTE ***** **DELIVERY POINT:** Or Date Publishing: 04/25/06 **RETURN BY FAX TO: DEPT. OF TRANSPORTATION AND DEVELOPMENT** Date Bid Due: 05/01/06 **TRAFFIC OPERATIONS WAREHOUSE #4501** 225-379-1862 or 225-379-1481 STEPHEN W. GLASCOCK, ITS ADMINISTRATOR 7686 TOM DR. ATTN: JEANNIE PREJEAN Time Bid Due: 2:00 P.M. **BATON ROUGE, LA 70806** PHONE: (225)379-1424 228/935-0140 Time of Opening: 2:00 P.M. UNIT TOTAL BRAND NAME STOCK QUANTITY U.M. **DESCRIPTION** NUMBER **PRICE AMOUNT** AND NUMBER DELIVERIES ACCEPTED MONDAY THRU FRIDAY, 7:00 AM TO 3:30 PM. FOR ALTERNATE DELIVERY TIMES, PLEASE CALL (225) 935-0178. NOTE: ANY BIDDER OUOTING ON A PRODUCT NOT ON THE QUALIFIED PRODUCTS LIST MUST HAVE PRIOR APPROVAL BEFORE BEING CONSIDERED FOR AWARD. RETROREFLECTIVE SHEETING MUST BE SOURCE/PRODUCT ON QPL NO. 13 PRIOR TO BID OPENING TO BE CONSIDERED SPECIFY/SOURCE PRODUCT CODE BIDDING: _ SUBJECT TO LABORATORY TEST BEFORE FINAL ACCEPTANCE. LOW BIDDER MAY BE REQUIRED TO FURNISH SAMPLES FOR TESTING AT NO COST TO THE DEPARTMENT. NOTE: ALL BIDDERS MUST FURNISH DESCRIPTIVE LITERATURE ON ALTERNATE BRANDS WITH HIS BID. IF DESCRIPTIVE LITERATURE IS NOT FURNISHED, BID WILL NOT BE CONSIDERED FOR AWARD. THIS IS A REQUEST FOR FAX QUOTATION. PLEASE RETURN YOUR BID BY FAX TO: 225-379-1862 OR 225-379-1481 BEFORE THE DATE/TIME SPECIFIED ON BID If you need additional information, please SEE ATTACHMENT FOR SPECIAL, CONDITIONS, INSTRUCTIONS AND DEFINITIONS. call: JEANNIE PREJEAN FAILURE TO COMPLY WITH SAME MAY DISQUALIFY YOUR BID OR QUOTATION (225)379-1424 FIRM: MAILING ADDRESS: BY: (signature) Citv: State: Zip: (PRINT OR TYPE NAME) REMITTANCE TO BE MADE TO ADDRESS OTHER THAN ABOVE: BY:

Street/Box _

Vendor FAX Number: Email Address:

_ City___

__ State____ Zip _

PHONE #:

FED. ID. NUMBER:

INSTRUCTIONS FOR SUBMITTING FAX BIDS

- Type or print in ink in blanks provided. Bids submitted in pencil will not be accepted.
- 2. Any corrections, erasures or other forms of alteration to unit price should be initialed by the bidder.
- 3. Bid must be as per specification(s) furnished.
- 4. Bidders must comply with all instructions shown in invitation to Bid. Failure to comply may result in rejection of bid.
- 5. Bid should be submitted in unit of measure as requested. Bids submitted in a different unit of measure may not be considered for award.
- 6. Unit price for each item must not exceed four digits to right of decimal point. Unit price submitted beyond four digits will be rounded off to nearest fourth digit.
- 7. Give complete information, attach letter if more space is needed.
- 8. Bids must be quoted on a firm basis for a thirty day period from bid opening date.
- 9. Bid must be net and include all handling charges and transportation charges fully prepaid to destination unless delivery point indicates otherwise. Bids containing "Payment in Advance" will be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
- Bids must be submitted exclusive of all Federal and State Taxes unless specified otherwise in bid form. State Agencies are exempt from all State and Local Sales Taxes.
- 11 Complete column marked "Total Amount" which is computed by multiplying "Quantity" column by "Unit Price" column.
- 12. Indicate any discount in blank provided for "Terms". Cash discounts for less than thirty (30) days or less than one percent (1%) will be accepted, but will not be considered in determining low bidder.
- 13. In blank provided for "Delivery" indicate amount of time needed to complete delivery of entire order.
- 14. Signature of person completing bid must be submitted on each bid. A typed name without a signature WILL NOT be accepted.
- 15. Indicate Federal Identification Number or Social Security Number, whichever is applicable.
- 16. Fax bid to this fax number (225) 379-1862. Keep a copy of bid for your records. Bidders are hereby advised that the U.S. Postal Service does not make delivery to our physical location.

Bids may be mailed through the U.S. Postal Service to our box at: DOTD Procurement Section P. O. Box 94245, Capitol Station Room 304M, Headquarters Baton Rouge, LA 70804-9245

Bids may be delivered by hand or courier service to our physical location as follows: DOTD Procurement Section Room 304M, Headquarters 1201 Capitol Access Road Baton Rouge, LA 70802.

Bidder is solely responsible for ensuring that it's courier service provider makes inside deliveries to our physical location. The DOTD Procurement Office is not responsible for any delays caused by the bidder's chosen means of bid delivery. Bidder is solely responsible for the timely delivery of its bid. Failure to meet the bid opening date and time shall result in rejection of the bid.

- 17. Bids must be submitted on D.O.T.D. bid form.
- 18. Deviations to the Department's Special Conditions and Specifications will not be allowed. Vendor's special conditions and terms which differ from the bid proposal will cause rejection of bid.
- 19. By signing the bid form, the bidder certifies that this bid is made without collusion or fraud.
- 20. In accordance with R.S. 39:1594 (Act 121), the person signing the bid must be: A current corporate officer, partnership member or other individual specifically authorized to submit a bid as reflected in the appropriate records on file with the Secretary of State: or An individual authorized to bind the vendor as reflected by an accompanying corporate resolution, certificate or affidavit; or An individual listed on the State of Louisiana Bidder's Application as authorized to execute bids.

Evidence of authority to submit the bid shall be required in accordance with R.S. 38:2212 (A)(1)(c) and/or R.S. 39:1594(C)(2)(d).

By signing the bid, the bidder certifies compliance with the above.

DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT
JOHNNY B. BRADBERRY, SECRETARY
DANA D. WATLINGTON
DOTD PROCUREMENT DIRECTOR
STREET ADDRESS: 1201 CAPITOL ACCESS ROAD, ROOM 304M
MAILING ADDRESS: P.O. BOX 94245, BATON ROUGE, LA 70804-9245

SPECIAL INSTRUCTIONS & CONDITIONS

- 1. PURPOSE AND INTENTION: The purpose and intention of this invitation to bid is to establish a contract between the Department and the successful bidder(s) to furnish supplies, materials, equipment and/or services in accordance with requirements described herein.
- 2. QUANTITIES: No specific quantities are given or guaranteed on Contracts. Only such quantities are required by the Department during the contractual period will be ordered.
- 3. BID DEADLINES: All Sealed Bids will be received by the Department in Room 304M, Headquarters Administration Building, 1201 Capitol Access Road, Baton Rouge, Louisiana until 9:45 a.m. on the same date as shown on bid form. All bids must be time and date stamped in the Procurement Section or it will be considered late. No bids will be accepted after this time. At 10:00 a.m. of the same day, they shall be publicly opened and read in Room 304M, Headquarters Administration Building. Request for Quotations must be received by 2:00 p.m. on DATE BID DUE as shown on bid form. All bids must be time and date stamped in the Procurement Section or it will be considered late. Bids received after 2:00 p.m. will not be accepted.

- 4. BID OPENING: Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Bids may be examined within 72 hours after bid opening. Information pertaining to completed files may be secured by visiting the Department during normal working hours. Written bid tabulations will **not** be furnished.
- 5. AWARD: The Department reserves the right to award items separately, by groups or on overall low bid basis to the lowest responsible and responsive bidder meeting the requirements and criteria set forth in the Invitation to Bid, taking into consideration the best interest of the Department. Award will be made without discrimination on grounds of race, color, or national origin. Minority business enterprises will be afforded full opportunity to submit bids.
- 6. TIE BIDS: In state vendors shall be given preferences in the case of tie bids.
- 7. CANCELLATION OF AWARD: The Department reserves the right to cancel any contract, in accordance with purchasing rules and regulations, for cause, including but not limited to, the following: (1) Failure to deliver within the time specified in the contract; (2) Failure of the product or service to meet specifications, conform to sample quality or to be delivered in good condition; (3) Misrepresentation by the contractor; (4) Fraud, collusion, conspiracy or other unlawful means of obtaining any contract with the State; (5) Conflict of contract provisions with constitutional or statutory provisions of State or Federal Law; (6) Any other breach of contract. Should the contractor find that due to increase in price or product availability, order cannot be filled, he is to submit to the DOTD Procurement Director a request for cancellation stating the reason for the request.

8. REJECTION OF BID: THE DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT RESERVES THE RIGHT TO REJECT ANY AND/OR ALL BIDS AND WAIVE ANY INFORMALITIES.

- 9. TAXES: EFFECTIVE SEPTEMBER 11, 1991, PURSUANT TO ACT 1029 OF THE 1991 REGULAR SESSION OF THE LEGISLATURE. THE STATE AND ANY OF ITS AGENCIES, BOARDS OR COMMISSIONS ARE **EXEMPT** FROM THE LOUISIANA STATE SALES/USE TAXES.
- 10. NEW PRODUCTS: Unless specifically called for in the solicitation, all products for purchase must be new, never previously used, and the current model and/or packaging. No remanufactured, demonstrator, used or irregular product will be considered for purchase unless otherwise specified in the solicitation. The manufacturer's standard warranty will apply unless otherwise specified in the solicitation.
- 11. BRANDS: UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION.
- 12. ALTERNATE BIDS: IF ITEM(S) DOES NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.
- 13. DEFAULT OF CONTRACTOR: Failure to deliver within the time specified in the bid will constitute a default and may cause cancellation of the contract. Where the Department has determined the contractor to be in default, the State reserves the right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
- 14. APPLICABLE LAW: All contracts shall be construed in accordance with and governed by the laws of the State of Louisiana.
- 15. SPECIAL ACCOMMODATION: Any "Qualified Individual with a Disability" as defined by the Americans with Disabilities Act who has submitted a bid and desires to attend the bid opening, must notify this office in writing no later than seven (7) days prior to the bid opening date of their need for special accommodations. If the request cannot be reasonably provided, the individual will be informed prior to bid opening.
- 16. INDEMNITY: Contractor agrees, upon receipt of written notice of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the State, its officers, its agents and its employees from and against all claims and actions for bodily injury, death or property damages caused by the fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees. However, the contractor shall have no obligations as set forth above with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the State, its officers, its agents or its employees.
- 17. EQUAL OPPORTUNITY CLAUSE: The Department of Transportation and Development and the State of Louisiana is an equal opportunity employer and looks to its contractors, subcontractors, vendors and suppliers to take affirmative action to affect this commitment in its operations. By submitting and signing this bid, bidder certifies that he agrees to abide by the requirements of the following as applicable: Title VI and VII of the Civil Rights Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, Federal Rehabilitation Act of 1973, as amended, the Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, The Age Act of 1975, and of 1974, are agrees to abide by the requirements of the Americans with Disabilities Act of 1990. Bidder agrees not to discriminate in its employment practices and will render services under any contract entered into as a result of this solicitation without regard to race, color, religion, sex, national origin, veteran status, political affiliation, or disabilities. Any act of discrimination committed by bidder, or failure to comply with these statutory obligations when applicable shall be grounds for termination of any contract entered into as a result of this proposal. Bidder agrees to keep informed of and comply with all Federal, State, and local laws, ordinances and regulations which affect his employees or prospective employees.

(Rev. 10/11/04)

DOTD Spec. 190-002 Rev. 9/23/1997 3 Pages

LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT SPECIFICATIONS

TRAFFIC CONES

DESCRIPTION:

These cones shall primarily be used for paint stripping operations.

GENERAL REQUIREMENTS:

The conical upper portion of the traffic cone shall have a glossy, nonporous, fluorescent red-orange exterior mounted on a weighted, high density base. All separate elements of the traffic cones shall be joined by fusion. The bottom extremity of the conical portion shall be adequately fused to the base. All cones of a specified size shall be of uniform weight, size, color and configuration. The upper extremity of the cone shall be soft and pliable to allow easy handling. The composition of the conical section and the base of the cone shall be polyvinlychloride. The color of the conical section shall be fluorescent red-orange and the base shall be either fluorescent red-orange or black. The cones shall be designed and constructed with at least 4 lugs on the underside of the base to allow easy stacking and separation.

SPECIFIC REQUIREMENTS:

The cones shall conform to the MUTCD requirements along with the following requirements:

PROPERTY	TYPE I (18 INCH)	
Height, Inches, Min.		18
Weight, Pounds		3.0 Plus or Minus 0.5
Base Width, Inches		11.0 Plus or Minus 0.5
Cone Diameter @ Base, Inches		7.3 Plus or Minus 0.3
Height of Lugs, Inches, Min.		0.2
Tensile Strength, PSI, Min., ASTM De	412	1000
Bend Recovery	(Test #1)	Pass
Sag at 150 Degrees Fahrenheit	(Test #2)	Pass
Flexibility @ 15 Degrees Fahrenheit	(Test #3)	Pass
Color Retention,		
No Appreciable Fading		Pass
After 150 Hours in QUV		

PROPERTY	TYPE II (28 INCH)		
Height, Inches, Min.	28		
Weight, Pounds		7 Min	
Base Weight, Pounds		4 Min.	
Base Width, Inches		15 x 15 Plus or Minus 0.5	
Cone Diameter @ Base, Inches		10.5 Plus or Minus 0.3	
Wall Thickness @ Top, Inches, Min.		.075	
Wall Thickness @ Bottom, Inches, Mi	n.	.130	
Height of Lugs, Inches, Min.	0.2		
Tensile Strength, PSI, Min., ASTM D ²	112	1000	
Hardness, Shore A, ASTM D2240		80 Plus or Minus 10	
Bend Recovery	(Test #1)	Pass	
Sag at 150 Degrees Fahrenheit	(Test #2)	Pass	
Flexibility @ 15 Degrees Fahrenheit	(Test #3)	Pass	
Angle of Recovery, Min.	(Test #4)	50 Degrees From Vertical	
Color Retention,			
No Appreciable Fading		Pass	
After 150 Hours in QUV			

TEST #1:

The cone placed in its normal position on a flat and level surface at room temperature shall be foldable at a point near the middle of its vertical height so that the upper tip touches the surface on which the base is resting and held there for 10 seconds. When released, the cone shall return to its original vertical position within 15 seconds.

TEST #2:

After 4 hours of exposure at 150 degrees Fahrenheit, the cone shall be self-supporting and show no signs of appreciable slump or sag.

TEST #3:

After 4 hours of exposure at 10 degrees Fahrenheit, the cone shall not show any evidence of cracking, splitting or breaking when folded as described in Test #1.

TEST #4:

The cone shall recover to its original position after being tilted at an angle of at least 50 degrees from the vertical and released.

REFLECTORIZED TRAFFIC CONES:

Reflectorized traffic cones shall conform to the above specifications for Type II (28 inch) cones. A minimum 6 inch wide, white, retroreflective band shall be placed a minimum of 3 inches, but no more than 4 inches from the top of the cone. A second 4 inch wide, white, retroreflective band shall be placed a minimum of 2 inches below the 6 inch wide band. The sheeting material used to construct the retroreflective band shall conform to ASTM D4956, Type VI and be listed on QPL 13.

01-17-6500 Cone, traffic, 18 in., Type I

01-17-6528 Cone, traffic, 28 in., Type II

State of Louisiana Department of Transportation and Development

Qualified Products List 13

REFLECTIVE SHEETING

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
		(A) PERMAN	NENT SIGN SHEETING		
		AST	TM D4956 - TYPE I		
1306	Yellow 2271	SCOTCHLITE	3M Company	Class 2	
1307	Red 2272		Traffic Control Materials Div.	(Heat	
1308	Blue 2275		3M Center, Bldg. 223-3N-01	Activated)	
1309	Green 2277		St. Paul, MN 55144		
1310	Brown 2279				
1305	White 2290				
1313	Yellow 3271			Class 1	
1314	Red 3272			(Pressure	
1315	Blue 3275			Sensitive)	
1316	Green 3277				
1317	Brown 3279				
1312	White 3290				
1331	White T-1500	AVERY	Avery Dennison	Class 1	
1332	Yellow T-1501	DENNISON	Reflective Films Division	(Pressure	
1333	Red T-1508		6565 West Howard Street	Sensitive)	
1335	Blue T-1505		Niles, IL 60714		
1336	Green T-1507				
1337	White T-1600			Class 2	
1338	Yellow T-1601			(Heat	
1339	Red T-1608			Activated)	
1341	Blue T-1605			,	
1342	Green T-1607				

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
	(A	A) PERMANENT	SIGN SHEETING (continued	l)	
		ASTM D495	6-TYPE I (continued)		
1348 1349 1350 1352 1353 1347 1355 1356 1357 1359 1360 1354	Yellow 7104 Red 7105 Blue 7106 Green 7108 Brown 7109 White 7112 Yellow 8104 Red 8105 Blue 8106 Green 8108 Brown 8109 White 8112	SEIBULITE	Nikka Polymer Co., Ltd. 17-3, Sakae-ChoSano-Shi, Tochigi 327 Japan Distributed in US by: Nippon Carbide Ind. (USA) 3136 East Victoria Street Rancho Dominquez. CA 90221	Class 2 (Heat Activated) Class 1 (Pressure Sensitive)	
		AST	M D4956 - TYPE II	I	
13AB 13AC 13AD 13AE 13AF	White T-2500 Yellow T-2501 Red T-2508 Blue T-2505 Green T-2507	AVERY DENNISON	Avery Dennison	Class 1 (Pressure Sensitive)	
		AST	M D4956 - TYPE III		
1319 1320 1322 1323 1324 1382	White 2870 Yellow 2871 Red 2872 Blue 2875 Green 2877 Brown 2879	SCOTCHLITE	3M Company	Class 2 (Heat Activated)	
1325 1326 1328 1329 1330 1381	White 3870 Yellow 3871 Red 3872 Blue 3875 Green 3877 Brown 3879			Class 1 (Pressure Sensitive)	Regular Adhesive

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
	(A) PERMANENT	SIGN SHEETING (continued	d)	
		ASTM D495	6 - TYPE III (continued)	1	
13BO 13BP 13BQ 13BR 13BS 13BT	White T-5500 Yellow T-5501 Blue T-5505 Green T-5507 Red T-5508 Brown T-5509	AVERY DENNISON T-5500 Series	Avery Dennison	Class 1 (Pressure Sensitive)	Regular Adhesive
13BN	Red T-6508	AVERY DENNISON T-6500 Series		Class 1 (Pressure Sensitive)	Regular Adhesive
	ı	1	1		,
13AO 13BH 13BJ 13BK 13BL 13AN 13BV	Yellow N504 Red N505 Blue N506 Green N508 Brown N509 White CN512 White/Red CN515 (Prestriped Barricade Sheeting	NIKKALITE ULTRALITE GRADE II (ULG II)	Nikka Polymer Co., Ltd.	Class 1 (Pressure Sensitive)	High Tack Adhesive
13AK 13BG 13AL 13AM 13BI 13AJ	Yellow N804 Red N805 Blue N806 Green N808 Brown N809 White N812			Class 1 (Pressure Sensitive)	Regular Adhesive
4200	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	AVEDV	Avany Danniaga	Class 4	
13BC 13BD 13BE 13BF	White T-6500 Yellow T-6501 Green T-6507 Blue T-6505	AVERY DENNISON	Avery Dennison	Class 1 (Pressure Sensitive)	
		LOUISIANA SPECI	AL PROVISION - DOTD TYPE VII	1	
1384 1385 1386 1387 1391	White 3970G Yellow 3971G Red 3972G Blue 3975G Green 3977G	SCOTCHLITE	3M Company	Class 1 (Pressure Sensitive)	

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION		
	(A) PERMANENT	SIGN SHEETING (continued	d)			
		LOUISIANA SPECIA	AL PROVISION - DOTD TYPE VIII				
1396 1397 1398 1399 13AA	White 3990 Yellow 3991 Red 3992 Blue 3995 Green 3997	SCOTCHLITE	3M Company	Class 1 (Pressure Sensitive)			
	(B) SIGN SHEETING FOR TEMPORARY SIGNS, BARRICADES, AND CHANNELIZING DEVICES (Not for drums)						
		AST	M D4956 - TYPE II				
13AB 13AV	White T-2500 White/Or W-2200 (Prestriped Barricade Sheeting)	AVERY DENNISON	Avery Dennison	Class 1 (Pressure Sensitive)			
1392	Orange T-2504			Class 1 (Pressure Sensitive)	Regular Adhesive		
1393	Orange T-2604			Class 2 (Heat Activated)			
	ı		1	1			
1345 1346 1343 1344	White 12012 Orange 12052 White 12013 Orange 12053	KIWALITE	Kiwa Chemical Inds. Co., Ltd. 6-24 Omatsu-Cho Wakayama, Japan <i>Distributed in US by:</i> Sakai Trading NY, Inc. 41 East 42 nd St. New York, NY 10017	Class 2 (Heat Activated) Class 1 (Pressure Sensitive)	Regular Adhesive		

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION			
	(B) SIGN SHEETING FOR TEMPORARY SIGNS, BARRICADES, AND CHANNELIZING DEVICES (Not for drums) (continued)							
		ASTM D49	56 - TYPE II (continued)					
1369 1370	White 15012 White/Or 15017 (Prestriped Barricade Sheeting)	SEIBULITE	Nikka Polymer Co., Ltd.	Class 1 (Pressure Sensitive)	High Tack Adhesive			
1371	Orange 15037							
1363 1364	White 18012 Orange 18037			Class 1 (Pressure Sensitive)	Regular Adhesive			
1361 1362	White 17012 Orange 17037			Class 2 (Heat Activated)				
		AST	M D4956 - TYPE III					
1321	Orange 2824	SCOTCHLITE	3M Company	Class 2 (Heat Activated)				
1372	White/Or 384 (Prestriped Barricade Sheeting)			Class 1 (Pressure Sensitive)	High Tack Adhesive			
1373	White/Or 386 (Prestriped Barricade Sheeting)							
1379 1380 1327	White 3820 Yellow 3821 Orange 3824							

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION			
	(B) SIGN SHEETING FOR TEMPORARY SIGNS, BARRICADES, AND CHANNELIZING DEVICES (Not for drums) (continued)							
		ASTM D495	6 - TYPE III (continued)					
13AH 13AI	Orange T-6504 White/Or W-6200 (Prestriped Barricade Striping)	AVERY DENNISON	Avery Dennison	Class 1 (Pressure Sensitive)	Regular Adhesive			
1366 1365	Orange 707 White 712	SEIBULITE	Nikka Polymer Co., Ltd.	Class 2 (Heat Activated)				
1367	White 812			Class 1 (Pressure Sensitive)	Regular Adhesive			
13AS 13AN 13AT	Orange CN507 White CN512 White/Or CN517 (Prestriped Barricace Sheeting)	NIKKALITE ULTRALITE GRADE II (ULG II)		Class 1 (Pressure Sensitive)	High Tack Adhesive			
13AR 13AJ	Orange N807 White N812			Class 1 (Pressure Sensitive)	Regular Adhesive			
	•	LOUISIANA SPECI	AL PROVISION - DOTD TYPE VII	,				
1388	Fluorescent Orange 3924F	SCOTCHLITE	3M Company	Class 1 (Pressure Sensitive)				
1389	Fluorescent Orange 3924G							
1384 1390	White 3970G Orange 3984G							

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION			
	(B) SIGN SHEETING FOR TEMPORARY SIGNS, BARRICADES, AND CHANNELIZING DEVICES (Not for drums) (continued)							
		LOUISIANA SPECI	AL PROVISION - DOTD TYPE VII					
13CB	Fluorescent Orange WU-7514	AVERY DENNISON	Avery Dennison	Class 1 (Pressure Sensitive)	Regular Adhesive			
13CA	Fluorescent Orange 92847	Nikkalite Crystal Grade (CRG)	Nikki Polymer Co., Ltd.	Class 1 (Pressure Sensitive)	Regular Adhesive			
		(C) SIGN SHEET	TING FOR USE ON DRUMS					
		ASTM D4956 - 1	YPE III, REBOUNDABLE					
1394 1395	White 3810 Orange 3814	SCOTCHLITE	3M Company	Class 1 (Pressure Sensitive)				
13BW 13BX	White-6100 Orange-6104	WR-6100 SERIES	Avery Dennison	Class 1 (Pressure Sensitive)				
				•				
1376 1377	White C70-3653-060 Orange C70-3753-060	REFLEXITE	Reflexite North America 315 South Street P. O. Box 1200 New Britain, BC 06050	Class 1 (Pressure Sensitive)				
(D) \$	SHEETING FOR US	E AS ROLL-UP	WARNING SIGNS AND TRA	FFIC CONE C	COLLARS			
		AST	M D4956 - TYPE VI					
13BY	Orange 6014	WU-6014	Avery Dennison					
1383	White	REFLEXITE VINYL CONE COLLAR	Reflexite North America					
13BU	Orange	REFLEXITE ORIGINAL ROLL-UP SIGN						

PRODUCT SOURCE CODE	COLOR & CODE NO.	PRODUCT	SOURCE	ADHESIVE CLASS	SOURCE ADHESIVE DESIGNATION
	(E) S	IGN SHEETING	FOR MAINTENANCE USE C	NLY	
		AST	M D4956 - TYPE I		
1311	Orange 1284	SCOTCHLITE	3M Company	Class 2 (Heat Activated)	
1318	Orange 1484			Class 1 (Pressure Sensitive)	
1334	Orange T-1504	AVERY DENNISON	Avery Dennison	Class 1 (Pressure Sensitive)	
1340	Orange T-1604			Class 2 (Heat Activated)	
	(E) S	IGN SHEETING	FOR MAINTENANCE USE C (continued)	NLY	
		ASTM D495	6 - TYPE I (continued)		
1351	Orange 7177	SEIBULITE	Nikka Polymer Co., Ltd.	Class 2 (Heat Activated)	
1358	Orange 8177			Class 1 (Pressure Sensitive)	

REFERENCE:

2000 DOTD Standard Specifications and Special Provisions, Subsection 1015.05 DOTD Special Provisions, Subsections 713.02 and 1015.05

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.